

FREE CATALOG

NTLS.



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

SAE 50 Long-Life Synthetic Transmission Oil

			11/15/2016 6	
GHS product identifier	: SAE 50 Long-Life Synthetic Transmission Oil			
Code	: FTF			
Product type	: Liquid.			
Identified uses	: Transmission Fluid.			
Manufacturer	: AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101			
Initial Supplier (Canada)	: AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547			
Emergency telephone number (with hours of operation)	: CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls (24/7)			

Section 2. Hazards identification

OSHA/HCS status	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: EYE IRRITATION - Category 2B
GHS label elements	
Signal word	: Warning
Hazard statements	: Causes eye irritation.
Precautionary statements	
Prevention	: Wash hands thoroughly after handling.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise class	sified (HNOC)
Physical hazards not otherwise classified (PHNOC)	: None known.

```
Health hazards not : None known.
otherwise classified
(HHNOC)
```

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

CAS number/other ide	ntifiers		
CAS number	: Not applicable.		
Product code	: FTF		
Ingredient name		%	CAS number
1-Propene, 2-methyl-, homop 2,6-di-tert-Butylphenol	olymer	25 - 40 0.1 - 1	9003-27-4 128-39-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary	first aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. If irritation persists, get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/e	effects, acute and delayed
Potential acute health effect	<u>ets</u>
Eye contact	: Causes eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/symp</u>	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate med	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue : 11/15/2016

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	ntainment and cleaning up		
Spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

Section 7. Handling and storage

Precautions for safe handling		
Protective measures	co co clo	It on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid ntact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original ntainer or an approved alternative made from a compatible material, kept tightly osed when not in use. Empty containers retain product residue and can be hazardous. roid contact with used product. Do not reuse container.
Advice on general occupational hygiene	ha dri en	ating, drinking and smoking should be prohibited in areas where this material is ndled, stored and processed. Workers should wash hands and face before eating, nking and smoking. Remove contaminated clothing and protective equipment before tering eating areas. See also Section 8 for additional information on hygiene easures.
Conditions for safe storage, including any incompatibilities	dir (se rea up	ore in accordance with local regulations. Store in original container protected from rect sunlight in a dry, cool and well-ventilated area, away from incompatible materials see Section 10) and food and drink. Keep container tightly closed and sealed until ady for use. Containers that have been opened must be carefully resealed and kept right to prevent leakage. Do not store in unlabeled containers. Use appropriate ntainment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure lim	<u>its</u>
Under conditions which m ACGIH TLV TWA: 5 mg/m ³	ay generate mists, the following exposure limits are recommended: ; STEL: 10 mg/m³.
United States	
None known.	
<u>Canada</u>	
Occupational exposure lin None.	<u>nits</u>
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection meas	ures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue : 11/15/2016

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	1	Liquid.
Color	1	Red.
Odor	1	Mild hydrocarbon.
Odor threshold	1	Not available.
рН	1	Not available.
Melting point	4	-42°C (-43.6°F)
Boiling point	4	Not available.
Flash point	4	Open cup: 226°C (438.8°F) [Cleveland.]
Evaporation rate	4	Not available.
Flammability (solid, gas)	4	Not available.
Lower and upper explosive (flammable) limits	÷	Not available.
Vapor pressure	:	Not available.
Vapor density	1	Not available.
Relative density	1	0.8602
Solubility	1	Not available.
Partition coefficient: n- octanol/water	1	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Viscosity	1	Kinematic: 0.175 cm²/s (17.5 cSt) (100°C) Kinematic: 1.352 cm²/s (135.2 cSt) (40°C)
Volatility	1	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Sp	ecies	Dose		Exposure
2,6-di-tert-Butylphenol	LD50 Dermal LD50 Oral	-	Rabbit Rat		g/kg	-
Irritation/Corrosion						
Product/ingredient name	Result	Species	Scor	re E	xposure	Observ
2,6-di-tert-Butylphenol	Skin - Moderate irritant	Rat	-	0.	5 mL	-
Sensitization		·	·	•		
There is no data available.						
Carcinogenicity						
There is no data available.						
Specific target organ toxici	<u>ty (single exposure)</u>					
There is no data available.						
Specific target organ toxici	<u>ty (repeated exposure)</u>					
There is no data available.						
Aspiration hazard						
There is no data available.						
nformation on the likely	: Dermal contact. Eye	contact. Inhala	tion. Ingesti	on.		
outes of exposure						
Potential acute health effect	—					
Eye contact	: Causes eye irritation.					
Inhalation	: No known significant					
Skin contact	: No known significant					
Ingestion	: No known significant	effects or critic	al hazards.			
Symptoms related to the ph	ysical, chemical and tox	icological cha	racteristics	5		
Eye contact	: Adverse symptoms m pain or irritation watering redness	nay include the	following:			
Inhalation	: No known significant	effects or critic	al hazards.			
Skin contact	: No known significant	effects or critic	al hazards.			
Ingestion	: No known significant	<i></i>				

Short term exposure

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health effe	o
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
1-Propene, 2-methyl-, homopolymer	Acute LC50 >5600000 μg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2,6-di-tert-Butylphenol	4.5	-	high

	Mo	bil	ity	in	<u>soil</u>
--	----	-----	-----	----	-------------

Soil/water partition coefficient (Koc)

: There is no data available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	TDG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-		-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

AERG : Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	: United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Phenol; Ethylbenzene; Benzene; Naphthalene Clean Water Act (CWA) 311: Phenol; Ethylbenzene; Xylene; Benzene; Naphthalene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
0.4.0.4.000/00.4	

SARA 302/304

Composition/information on ingredients

		SARA 302 TPQ SARA 304 RQ		۶Q	
Name	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Phenol Ethylene oxide	Yes. Yes.	500 / 10000 1000	-	1000 10	-

SARA 304 RQ

: 15748031.5 lbs / 7149606.3 kg [2195682.6 gal / 8311562.8 L]

SARA 311/312 Classification

: Immediate (acute) health hazard

Composition/information on ingredients

 hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
No.	No.	No.	Yes.	No.
No.	No.	No.	Yes.	No.

SARA 313

No products were found.

State regulations

- Massachusetts
- New York
- New Jersey
- None of the components are listed.None of the components are listed.
- : None of the components are listed.
- Pennsylvania
- None of the components are listed
- California Prop. 65
- : None of the components are listed.

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Ethylbenzene	Yes.	No.	41 μg/day (ingestion) 54 μg/day (inhalation)	No.
Ethylene oxide	Yes.	Yes.	Yes.	Yes.
2-Propenoic acid, ethyl ester	Yes.	Yes.	No.	No.
Ethyl acrylate	Yes.	No.	No.	No.
Benzene	Yes.	Yes.	6.4 μg/day (ingestion) 13 μg/day (inhalation)	24 μg/day (ingestion) 49 μg/day (inhalation)
Naphthalene	Yes.	No.	Yes.	No.

Canada

<u>Canadian lists</u> Canadian NPRI CEPA Toxic substances Canada inventory

: None of the components are listed.

EPA Toxic substances : None of the components are listed.

: All components are listed or exempted.

Section 16. Other information

<u>History</u>		
Date of issue mm/dd/yyyy	: 11/15/2016	
Date of previous issue	: 10/15/2015	
Version	: 6	
Prepared by	: AMSOIL IN	C

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 11/15/2016

Order by Phone 1-800-956-5695 - Give Operator Reference #5372670